

VECTOR OPTICS

2018

A close-up photograph of a soldier in camouflage gear looking through a rifle scope. The soldier's face is partially visible through the scope's eyepiece. The rifle is mounted on a tripod. In the foreground, a stack of papers is visible, with the word 'EDGE' printed on the top sheet. The background is a blurred natural setting with green foliage.

Serious Company


Quality Product

EDGE

Index

Our Culture.....	1-3
Featured Products.....	4-20
First Focal Plane.....	21-26
Second Focal Plane.....	27-32
Red Dot Sights.....	33-38
Range Finder.....	39
Handguard Rails.....	40-48
Other Rails.....	49-59
Laser & Flashlights.....	60-64
ACD Leveling Mount.....	65
Scope Rings.....	66-72
Cleaning Tools.....	73
Others.....	74-76
Products RD & Testing... 	77-78



A man and a woman are in a field. The man is wearing a cowboy hat and a light-colored shirt, holding a rifle. The woman is wearing a dark shirt with 'ELEPHANT' written on it. They are standing next to a dead animal, possibly a gazelle or similar, which is lying on the ground. The background is a hazy, open field.

VECTOR OPTICS one of the best top-rated riflescopes in the new century.

A company, that delivers a wide range of riflescopes, reflex sights, laser sights, range finders, spotting scope, mounts, lights and more.

Famously, VO has specialized in this field for more than 10 Years.

A miracle, our sales turnover grows at least 25% every year.

As standard, we insist in our products having a 100% detailed inspection before shipping.

Traditionally, we always stand behind our products.

Vector, as what it means, forge ahead without turning and distorting.

FIVE YEARS WARRANTY

Each Vector Optics product is warranted free of defects in materials and workmanship for a period of 5 years from time of purchase by the original purchaser. In the event of a defect under this warranty, we will, at our option, repair or replace the product.

For more details please visit our website.

www.vectoroptics.com



CEO
Stephen

Our Team

Operation & Information  **Total 2 Staff**
Finance
Administration
Human Recourse



Anny

Eve

Sales & Business  **Total 5 Staff**
Sales
Planning
Customer Relationship



Alan

Claire

Tracy



Miracle



Valerie

Strategy & Development  **Total 2 Staff**
Marketing
Public Relationship
Research Development



Raul

Juana

Quality & Logistics  **Total 4 Staff**
Sourcing
Quality Control
Packing Shipping



Steven

John




Robert



Nick

VECTOR OPTICS



As our core products, Vector Optics covers a wide range of high-end optics such as riflescopes, red dot sights, range finders and spotting scopes.


A great marksman can't hit his goal with a poor scope, but a novice can do the opposite thing.

Enjoy Vector Optics enjoy your shooting.

Taurus



- 6x Zoom Range
- Long Eye Relief
- Wide Field of View
- Turret Lock System
- Crystal Clear Image
- 1/10 MIL, 1cm, 0.1MRAD
- First Focal Plane Scope
- Etched Reticle w/ Illumination
- Optimum Precision Even in Low Light



SCFF-11 Taurus 3-18x50

Reticle:MPX1 Parallax:15 yds-∞



SCFF-17 Taurus 4-24x50

Reticle:MPX1 Parallax:15 yds-∞



SCFF-14 Taurus 5-30x56

Reticle:MPX1 Parallax:15 yds-∞




Model	Magnification	Objective Lens Dia.	Exit Pupil	F.O.V (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCFF-11	3-18x	50mm	16.6-2.7mm	32.9-5.8 feet	100 / 4.0	335 / 13.2	750 / 26.5	30mm	≥17.5 MIL	≥17.5 MIL	1/10 MIL	MPX1	6 levels R
SCFF-17	4-24x	50mm	12.5-2.1mm	9.1-1.5m	100 / 4.0	380 / 15.0	770 / 27.2	30mm	≥15 MIL	≥15 MIL	1/10 MIL	MPX1	6 levels R
SCFF-14	5-30x	56mm	11.0-1.8mm	20.4-3.5 feet	100 / 4.0	400 / 15.7	815 / 28.7	30mm	≥12 MIL	≥12 MIL	1/10 MIL	MPX1	6 levels R



Paragon



30mm Monotube
50 Caliber Tested
4" Long Eye Relief
1/10MIL, 1CM, 0.1MRAD
Turrets With Lock Feature
Illuminated Etched Reticle
Enormous Adjustment Range
Premium Optic Even in Dawn
Well-proven Parallax Compensation



SCOC-04 Paragon 1.2-6x24

Reticle:Mil line Parallax:100 yds

SCOM-18 Paragon 2-10x50

Reticle:VPA-2 Parallax:25 yds-∞

SCOM-11 Paragon 3-15x50

Reticle:VPA-2 Parallax:25 yds-∞

SCOL-20 Paragon 4-20x50

Reticle:VPA-2 Parallax:25 yds-∞

SCOL-03 Paragon 5-25x56

Reticle:VPA-2 Parallax:50 yds-∞

SCOL-17 Paragon 6-30x56

Reticle:VPA-2 Parallax:50 yds-∞




Model	Magnification	Objective Lens Dia.	Exit Pupil	F.O.V (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCOC-04	1.2-6x	24mm	20-4.0mm	81.2-16.2 feet	>100 / >4.0	250 / 9.8	485 / 17.1	30mm	52 MIL	52 MIL	1/5 MIL	VTC-3	6 levels R
SCOM-18	2-10x	50mm	22.5-5.0mm	48.7-9.7 feet	>100 / >4.0	320 / 12.6	665 / 23.5	30mm	35 MIL	35 MIL	1/10 MIL	VPA-2	Stepless R
SCOM-11	3-15x	50mm	16.7-3.3mm	31.5-10.9 feet	>100 / >4.0	330 / 13.0	690 / 24.3	30mm	35 MIL	35 MIL	1/10 MIL	VPA-2	Stepless R
SCOL-20	4-20x	50mm	12.5-2.5mm	24.4-4.9 feet	>100 / >4.0	370 / 14.6	625 / 22.0	30mm	18 MIL	18 MIL	1/10 MIL	VPA-2	Stepless R
SCOL-03	5-25x	56mm	8.3-2.1mm	19.5-3.9 feet	>100 / >4.0	350 / 13.8	730 / 25.8	30mm	18 MIL	18 MIL	1/10 MIL	VPA-2	Stepless R
SCOL-17	6-30x	56mm	9.3-1.8mm	16.2-3.2 feet	>100 / >4.0	390 / 15.4	740 / 26.1	30mm	15 MIL	15 MIL	1/10 MIL	VPA-2	Stepless R



Continental



Long Eye Relief
Red Illumination
Crystal Clear Image
Designed for Hunting
Supreme Wide of View
Germany #4 Etched Reticle



SCOC-23 Continental 1-6x24

Reticle:Germany #4

Parallax:100 yds



SCOM-15 Continental 2-12x50

Reticle:Germany #4

Parallax:100 yds



Model	Magnification	Objective Lens Dia.	Exit Pupil	F.O.V (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCOC-23	1-6x	24mm	9.5-4.0mm	124.5-20.7 feet	100 / 4.0	282 / 11.1	447 / 15.8	30mm	140 MOA	140 MOA	1/2 MOA	Germany #4	N / A
SCOM-15	2-12x	56mm	9.5-4.2mm	63-10.5 feet	100 / 4.0	334 / 13.1	581 / 20.5	30mm	140 MOA	140 MOA	1/4 MOA	Germany #4	N / A



Marksman



Side Focus
Long Eye Relief
Wide Field of View
1/10MIL, 1cm, 0.1MRAD
Premium Optics System
MPN Etched Glass Reticle



SCOL-09 Marksman 10x44

Reticle:MPN-1 Parallax:10 yds-∞



SCOM-04 Marksman 3.5-10x44

Reticle:MPT-1 Parallax:15 yds-∞



SCOL-15 Marksman 4.5-18x50

Reticle:MPN-1 Parallax:20 yds-∞



SCOL-11 Marksman 6-25x50

Reticle:MPT-1 Parallax:10 yds-∞





Model	Magnification	Objective Lens Dia.	Exit Pupil	F.O.V (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCOL-09	10x	44mm	4.4mm	2.1°	95 / 3.7	315 / 12.4	525 / 18.5	30mm	18 MIL	18 MIL	1/10 MIL	MPN-1	N/A
SCOM-04	3.5-10x	44mm	12.6-4.4mm	30.4-11 feet	105-92 / 4.1-3.6	335 / 13.2	615 / 21.8	30mm	18 MIL	18 MIL	1/10 MIL	MPT-1	N/A
SCOL-15	4.5-18x	50mm	9.8-2.4mm	4.89-1.22°	95 / 3.7	350 / 13.8	640 / 22.6	30mm	15 MIL	15 MIL	1/10 MIL	MPN-1	N/A
SCOL-11	6-25x	50mm	8.3-2.0mm	3.4-0.85°	100-90 / 3.9-3.5	357 / 14.0	660 / 23.3	30mm	15 MIL	15 MIL	1/10 MIL	MPT-1	N/A



Sentinel



Side Focus
Long Eye Relief
R/G Illumination
Fully-Multi Coated
Turret Lock System
Etched MP Glass Reticle



SCOL-13 Sentinel 4-16x50

Reticle:MP Parallax:12 yds-∞



SCOL-14 Sentinel 6-24x50(Gen2)

Reticle:MP Parallax:15 yds-∞



SCOL-05 Sentinel 8-32x50

Reticle:MP Parallax:10 yds-∞



SCOL-07 Sentinel 10-40x50

Reticle:MP Parallax:10 yds-∞




Model	Magnification	Objective Lens Dia.	Exit Pupil	FOV (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCOL-13	4-16x	50mm	8.3-2.0mm	12.5-3.1 feet	100-80 / 3.9-3.1	340 / 13.4	750 / 26.5	30mm	55 MOA	55 MOA	1/4 MOA	MP	Stepless R & G
SCOL-14	6-24x	50mm	8.3-2.1mm	3.9-0.49°	100-80 / 3.9-3.1	380 / 15.0	750 / 26.5	30mm	50 MOA	50 MOA	1/8 MOA	MPR-3	Stepless R & G
SCOL-05	8-32x	50mm	16.2-1.5mm	16.5-3.3 feet	100-78 / 4.3-3.5	415 / 16.3	735 / 25.9	30mm	45 MOA	45 MOA	1/8 MOA	MP	Stepless R & G
SCOL-07	10-40x	50mm	5.0-1.25mm	3.8-1.1°	92-85 / 3.6-3.3	415 / 16.3	525 / 18.5	30mm	50 MOA	50 MOA	1/8 MOA	MP	Stepless R & G



Forester



Long Eye Relief
Edgeless Image
Bright Clear Image
Parallax Set at 50Yds
FD7 Etched Glass Reticle



SCOC-03 Forester 1-5x24

Reticle:VFD-2 Parallax:50 yds



SCOM-02 Forester 2-10x40

Reticle:VFD-2 Parallax:50 yds



SCOM-16 Forester 3-15x50

Reticle:VFD-2 Parallax:100 yds



Model	Magnification	Objective Lens Dia.	Exit Pupil	F.O.V (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCOC-03	1-5x	24mm	24-4.8mm	73.3-19.9 feet	115-95 / 4.5-3.7	265 / 10.4	415 / 14.6	30mm	60 MOA	60 MOA	1/2 MOA	VFD-2	11 levels R
SCOM-02	2-10x	40mm	20-4.0mm	41.9-10.5 feet	100-90 / 3.9-3.5	340 / 13.4	500 / 17.6	30mm	60 MOA	60 MOA	1/4 MOA	VFD-2	11 levels R
SCOM-16	3-15x	50mm	16.7-3.3mm	36.2-7.2 feet	95-85 / 3.7-3.3	385 / 15.1	575 / 20.3	30mm	60 MOA	60 MOA	1/4 MOA	VFD-2	11 levels R



Grizzly



- Long Eye Relief
- Red Illumination
- Bright Clear Image
- Wide Field of View
- 1/4MOA Adjustment
- Designed for Hunting
- German #4 Etched Reticle



SCOM-01 Grizzly 1.5-6x56

Reticle:Germany #4 Parallax:100 yds



SCOM-21 Grizzly 2.5-10x56

Reticle:Germany #4 Parallax:100 yds



SCOM-09 Grizzly 3-12x56

Reticle:Germany #4 Parallax:100 yds




Model	Magnification	Objective Lens Dia.	Exit Pupil	FOV (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCOM-01	1.5-6x	56mm	37.3-9.3mm	66.5-16.6 feet	100-94 / 3.9-3.7	310 / 12.2	700 / 24.7	30mm	60 MOA	60 MOA	1/4 MOA	Germany #4	11 levels R
SCOM-21	2.5-10x	56mm	22.4-5.6mm	35.6-8.9 feet	100-94 / 3.9-3.7	310 / 12.2	600 / 21.2	30mm	60 MOA	60 MOA	1/4 MOA	Germany #4	11 levels R
SCOM-09	3-12x	56mm	18.7-4.7mm	35.6-8.9 feet	100-94 / 3.9-3.7	310 / 12.2	695 / 24.5	30mm	50 MOA	50 MOA	1/4 MOA	Germany #4	11 levels R



SVD



Use AA Battery
First Focal Plane
Fully-multi Coated
Build-in Sunshade
Fit AK with Adapter



SCFF-16 SVD Dragunov 3-9x24

Reticle:SVD Parallax:100 yds



SCFF-15 SVD Dragunov 4x24

Reticle:SVD Parallax:100 yds



SCFF-51 SVD Dragunov 6x36

Reticle:SVD Parallax:100 yds



Model	Magnification	Objective Lens Dia.	Exit Pupil	F.O.V (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Elevation Range	Reticle	Illumination
SCFF-16	3-9x	24mm	8.0-2.5mm	34.1-11.4 feet	80 / 3.2	312 / 12.3	615 / 21.8	0-1500 yards	SVD	R
SCFF-15	4x	24mm	6mm	31 feet	90 / 3.5	260 / 10.2	615 / 21.8	0-1500 yards	SVD	R
SCFF-51	6x	36mm	6mm	23 feet	90 / 3.5	357 / 14.0	615 / 21.8	0-1500 yards	SVD	R

First Focal Plane





SCFF-03B Counterpunch 6-25x56 Low

Reticle: MPR-2 Parallax:10 yds -∞



SCFF-03A Counterpunch 6-25x56 High

Reticle: Mil-Dot Parallax:10 yds -∞



SCFF-03C Counterpunch 6-25x56 High

Reticle: MPR-2 Parallax:10 yds -∞



SCFF-04 Sagittarius 10-40x56

Reticle: P4-SNIPER Parallax:12 yds -∞



SCFF-06 Monarch 8-32x56

Reticle: MPR-2 Parallax:15 yds -∞





SCFF-05B Capricorn 4.5-14x44 Low

Reticle: MPR-1 Parallax:10 yds - ∞



SCFF-05A Capricorn 4.5-14x44 High

Reticle: MPR-1 Parallax:10 yds- ∞





SCFF-07 Apophis 1-6x28

Reticle: M4-62 / MPR-1 Parallax:10 yds-∞



SCFF-12 Artemis 1-8x26

Reticle: VTC-1 Parallax:10 yds



SCFF-02 Paladin 4-16x50


Reticle: 50BDC Parallax:10 yds-∞



First Focal Plane Specs

Model	Magnification	Objective Lens Dia.	Exit Pupil	F.O.V (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCFF-03B	6-25x	56mm	9.2-2.4mm	18.6-4.9 feet	107-84 / 4.2-3.3	395 / 15.6	850 / 30.0	30mm	20 MIL	20 MIL	1/10 MIL	MPR-2	5 levels R & G
SCFF-03A	6-25x	56mm	9.2-2.4mm	18.6-4.9 feet	107-84 / 4.2-3.3	395 / 15.6	915 / 32.4	30mm	70 MOA	70 MOA	1/4 MOA	Mil-Dot	5 levels R & G
SCFF-03C	6-25x	56mm	9.2-2.4mm	18.6-4.9 feet	107-84 / 4.2-3.3	395 / 15.6	915 / 32.4	30mm	20 MIL	20 MIL	1/10 MIL	MPR-2	5 levels R & G
SCFF-04	10-40x	56mm	5.6-1.4mm	10-2.5 feet	102-81 / 4.0-3.2	440 / 17.3	865 / 30.5	30mm	30 MOA	30 MOA	1/8 MOA	P4-SNIPER	5 levels R & G
SCFF-06	8-32x	56mm	7.0-1.7mm	14.2-3.6 feet	100-81 / 3.9-3.2	450 / 17.7	870 / 30.7	30mm	40 MOA	40 MOA	1/8 MOA	MPR-2	5 levels R & G
SCFF-05B	4.5-14x	44mm	9.8-3.1mm	25-8 feet	125-94 / 4.9-3.7	332 / 13.1	640 / 22.6	30mm	15 MIL	15 MIL	1/10 MIL	MPR-1	N/A
SCFF-05A	4.5-14x	44mm	9.8-3.1mm	25-8 feet	125-94 / 4.9-3.7	340 / 13.4	800 / 28.2	30mm	15 MIL	15 MIL	1/10 MIL	MPR-1	N/A
SCFF-07	1-6x	28mm	15.0-4.6mm	105.8-17.6 feet	140-89 / 4.5-3.5	196 / 7.7	510 / 18.0	35mm	400 MOA	400 MOA	1/2 MOA	M4-62 / MPR-1	5 levels R & G
SCFF-12	1-8x	28mm	16.6-3.2mm	104-13 feet	111-90.8 / 4.3-3.5	250 / 9.9	725 / 25.6	35mm	12 MIL	12 MIL	1/10 MIL	VTC-1	8 levels R & G & 3 levels NV
SCFF-02	4-16x	50mm	12.2-3.0mm	25.2-6.3 feet	130-89 / 5.1-3.5	355 / 14.0	800 / 28.2	30mm	60 MOA	60 MOA	1/4 MOA	50BDC	7 levels R & G







Mil-Dot




MPR-2




P4-SNIPER




MPR-1




Mil-CR



50BDC



M4-62



VTC-1

Second Focal Plane





SCOL-06 Everest 3-18x50

Reticle:MPTR-1 Parallax:10 yds-∞

SCOL-01 Warrior 4-16x50AOE

Reticle:Ranger-finding Parallax:20 yds-∞

SCOL-02 Warrior 6-24x50AOE

Reticle:Ranger-finding Parallax:25 yds-∞

SCOL-12 Reaper 6-24x50

Reticle:MPL Parallax:10 yds-∞

SCOL-04 Atlas 5-30x56

Reticle:VHL Parallax:10 yds-∞

SCOL-16 Centaur 8.5-32x50AO

Reticle:Ranger-finding Parallax:10 yds-∞

SCOL-07C Colossus 10-40x50AOE

Reticle:Ranger-finding Parallax:10 yds-∞

SCOL-08 Minotaur 10-50x60

Reticle:Thin-dot Parallax:30 yds-∞

SCOL-18 Minotaur 12-60x60

Reticle:Thin-dot Parallax:30 yds-∞





SCOM-13 Corax 2-7x32

Reticle: Duplex-F Parallax: 20 yds-∞

SCOM-17 Pacer 3-9x40

Reticle: Duplex Parallax: 100 yds

SCOM-20 Sideswipe 2.5-10x40

Reticle: Ranger-finding Parallax: 100 yds

SCOM-05 Nova 3.5-10x42 AO

Reticle: MPC-1 Parallax: 5 yds-∞

SCOM-03 Zealot 3-12x42

Reticle: Ranger-finding Parallax: 100 yds

SCOM-06 Reaper 4-14x50

Reticle: MP Parallax: 15 yds-∞

SCOM-08 Nova 5-15x42 AO

Reticle: MPC-1 Parallax: 10 yds-∞

SCOM-12 Javelin 4x32

Reticle: Duplex Parallax: 100 yds





SCOC-02 Mustang 1.5-4x30
Reticle:Chevron Parallax:100 yds



SCOC-19 Arbiter 1-4x24IR
Reticle:DND Parallax:100 yds



SCOC-05 Swift 1.25-4.5x26IR
Reticle:R12 Parallax:100 yds



SCOC-13 Grimlock 1-6x24IR
Reticle:R12 Parallax:100 yds



SCOC-07 Rogue 2-6x32AOE
Reticle:Ranger-finding Parallax:100 yds



SCOC-17 Reaver 2-7x32
Reticle:Duplex Parallax:100 yds



SCOC-21 Thanator 1-8x24
Reticle:VTC-2 Parallax:100 yds



SCOC-16 Mutalisk 3-9x40SE
Reticle:Mil-dot Parallax:100 yds



SCOC-15 Dragoon 3-9x40
Reticle: Ranger-finding Parallax:100 yds



SCOC-12 Cerato 3-9x32CE
Reticle:MTD-1 Parallax:3 yds-∞



SCOC-06 Streak 4x22
Reticle:R3 Parallax:100 yds



SCOC-18 Wyvern 4x25E
Reticle:Ranger-finding Parallax:100 yds




SCOC-09 Talos 4x32
Reticle:Chevron Parallax:100 yds




SCOC-01 Tsyklon 4x32
Reticle:SVD Parallax:100 yds


Model	Magnification	Objective Lens Dia.	Exit Pupil	F.O.V (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCOL-06	3-18x	50mm	16.7-2.8mm	34.1-5.6 feet	101-92 / 4.0-3.6	350 / 13.7	730 / 25.7	30mm	100 MOA	100 MOA	1/4 MOA	MPTR-1	N/A
SCOL-01	4-16x	50mm	8.3-2.1mm	3.9-1.1°	85-75 / 3.3-3.0	370 / 14.6	640 / 22.5	25.4mm	50 MOA	50 MOA	1/8 MOA	Ranger-finding	5 levels R & G
SCOL-02	6-24x	50mm	8.3-2.1mm	2.9-0.8°	90-85 / 3.5-3.3	400 / 15.7	660 / 23.3	25.4mm	40 MOA	40 MOA	1/8 MOA	Ranger-finding	5 levels R & G
SCOL-12	6-24x	50mm	8.3-2.1mm	16-4 feet	97-94 / 3.8-3.7	355 / 14.0	700 / 24.7	30mm	50 MOA	50 MOA	1/4 MOA	MPL	5 levels R & G
SCOL-04	5-30x	56mm	11.2-1.9mm	23.6-3.8 feet	101-89 / 4.0-3.5	375 / 14.8	1000 / 35.3	35mm	85 MOA	85 MOA	1/8 MOA	VHL	11 levels R
SCOL-16	8.5-32x	50mm	5.9-1.6mm	12-3.3 feet	90-80 / 3.5-3.1	405 / 15.9	565 / 19.9	25.4mm	60 MOA	60 MOA	1/8 MOA	Ranger-finding	N/A
SCOL-07	10-40x	50mm	5-1.25mm	1.6-0.4°	90-80 / 3.5-3.1	420 / 16.5	665 / 23.4	25.4mm	80 MOA	80 MOA	1/8 MOA	Ranger-finding	5 levels R & G
SCOL-08	10-50x	60mm	6-1.2mm	9.6-2.0 feet	108-99 / 4.3-3.9	480 / 18.9	1150 / 44.0	35mm	30 MOA	30 MOA	1/8 MOA	Thin-dot	11 levels R & G
SCOL-18	12-60x	60mm	5-1mm	8.4-1.7 feet	108-99 / 4.3-3.9	498 / 19.6	1170 / 41.0	35mm	30 MOA	30 MOA	1/8 MOA	Thin-dot	11 levels R & G
SCOM-13	2-7x	32mm	14.4-4.3mm	8.4-2.4°	96-71 / 3.8-2.8	295 / 11.6	385 / 13.6	25.4mm	60 MOA	60 MOA	1/4 MOA	Duplex-F	N/A
SCOM-17	3-9x	40mm	13.3-4.4mm	6.6-2.4°	78 / 3.1	310 / 12.2	370 / 13.0	25.4mm	60 MOA	60 MOA	1/4 MOA	Duplex	N/A
SCOM-20	2.5-10x	40mm	13.3-4.4mm	34.9-11.5 feet	69-60 / 3.1-2.4	205 / 8.1	620 / 21.9	25.4mm	60 MOA	60 MOA	1/4 MOA	Ranger-finding	5 levels R & G
SCOM-05	3.5-10x	42mm	12-4.2mm	31.4-11.5 feet	80-75 / 3.1-3	320 / 12.6	570 / 20.1	25.4mm	50 MOA	50 MOA	1/4 MOA	MPC-1	N/A
SCOM-03	3-12x	42mm	14-3.5mm	6.2-1.8°	85-70 / 3.3-2.8	320 / 12.6	580 / 21.0	25.4mm	60 MOA	60 MOA	1/4 MOA	Ranger-finding	11 levels R
SCOM-06	4-14x	50mm	8.8-2.1mm	4-1.2°	110-96 / 4.3-3.8	340 / 13.4	650 / 22.9	30mm	100 MOA	100 MOA	1/4 MOA	MP	N/A
SCOM-08	5-15x	42mm	8.4-2.8mm	31.4-11.5 feet	80-75 / 3.1-3.0	350 / 13.8	600 / 21.2	25.4mm	50 MOA	50 MOA	1/4 MOA	MPC-1	N/A
SCOM-12	4x	32mm	8mm	5.8°	80-70 / 3.1-2.8	292 / 11.5	280 / 11.0	25.4mm	100 MOA	100 MOA	1/4 MOA	Duplex	N/A
SCOC-02	1.5-4x	30mm	16-6mm	11.5-4°	95-90 / 3.7-3.5	255 / 10.0	500 / 17.6	30mm	120 MOA	120 MOA	1/2 MOA	Chevron	3 levels R & G & B
SCOC-19	1-4x	24mm	16-5.9mm	105.8-26.2 feet	104-89 / 4.1-3.5	280 / 11.0	500 / 17.6	30mm	90 MOA	90 MOA	1/2 MOA	DND	11 levels R
SCOC-05	1.25-4.5x	26mm	7.6-6.5mm	18-5.4°	135-96 / 5.3-3.8	280 / 11.0	450 / 15.9	30mm	80 MOA	80 MOA	1/4 MOA	R12	5 levels R & G
SCOC-13	1-6x	24mm	17.1-5.3mm	106-17.7 feet	127-99 / 5-3.9	238 / 9.4	435 / 15.4	30mm	200 MOA	200 MOA	1/4 MOA	R12	5 levels R & G
SCOC-07	2-6x	32mm	14-4.6mm	42-15.7 feet	95-75 / 3.7-3.0	210 / 8.3	360 / 12.7	25.4mm	60 MOA	60 MOA	1/4 MOA	Ranger-finding	5 levels R & G
SCOC-17	2-7x	32mm	16-4.6mm	14-4.6 feet	350-270 / 13.8-10.5	263 / 10.4	255 / 9.0	25.4mm	70 MOA	70 MOA	1/2 MOA	Duplex	N/A
SCOC-21	1-8x	24mm	16.6-3.2mm	104-13 feet	111-91 / 4.3-3.5	260 / 10.2	500 / 17.6	30mm	12 MIL	12 MIL	1/10 MIL	VTC-2	11 levels R
SCOC-16	3-9x	40mm	13.3-4.4mm	34.9-11.5 feet	69-60 / 3.1-2.4	205 / 8.1	510 / 18.0	30mm	60 MOA	60 MOA	1/2 MOA	Mil-dot	N/A
SCOC-15	3-9x	40mm	13.3-4.4mm	37.5-12.5 feet	65-60 / 2.6-2.4	245 / 9.6	605 / 21.3	30mm	60 MOA	60 MOA	1/2 MOA	Ranger-finding	N/A
SCOC-12	3-9x	32mm	10.6-3.6mm	37-12.5 feet	102-76 / 4.0-3.0	208 / 8.2	380 / 13.4	25.4mm	120 MOA	120 MOA	1/4 MOA	MTD-1	N/A
SCOC-06	4x	22mm	5.5mm	4.6°	75 / 2.9	180 / 7.1	360 / 12.7	34mm	60 MOA	60 MOA	1/4 MOA	R3	N/A
SCOC-18	4x	25mm	6.25mm	5.2°	70 / 2.8	170 / 6.7	435 / 15.3	30mm	70 MOA	70 MOA	1/4 MOA	Ranger-finding	5 levels R & G
SCOC-09	4x	32mm	8mm	36.6 feet	90 / 3.5	145 / 5.7	380 / 13.4	Prism	70 MOA	70 MOA	1/4 MOA	Chevron	3 levels R & G & B
SCOC-01	4x	32mm	7.5mm	25.1 feet	80 / 3.1	212 / 8.3	277 / 9.8	25.4mm	60 MOA	60 MOA	1/2 MOA	SVD	N/A




MPTR-1




DND




Duplex-F




MPC-1




Ranger-finding




VHL




Mil-dot




VTC-2




MTD-1




SVD




Duplex




MP



Thin-dot




Chevron



R-12

Red Dot Sight





SCRD-04 8 Reticles

SCRD-06 Sable 1x24x34

SCRD-17 Wraith 1x22x33

SCRD-22 Ravage 1x28x40

Model	Magnification	Objective Lens Dia.	F.O.V (@100yds)	Length (mm / inch)	Weight (net) (g / oz)	Elevation Range	Windage Range	Click Value	Dot Size	Illumination	Battery
SCRD-04	N/A	39x27mm	125 feet	110 / 4.3	260 / 9.2	60 MOA	60 MOA	1 MOA	8 patterns	5 levels R & G	CR2032 rechargeable
SCRD-06	N/A	25x34mm	36m	82 / 3.2	140 / 4.9	60 MOA	60 MOA	1 MOA	5 MOA	6 levels R & G	CR2032
SCRD-17	N/A	22x33mm	138 feet	66 / 2.6	115 / 4.0	40 MOA	40 MOA	1 MOA	3 MOA	6 levels R	CR2032
SCRD-22	N/A	28x40mm	80 feet	92 / 3.6	168 / 6.0	40 MOA	40 MOA	1 MOA	4 patterns	6 levels R	LR44



SCRD-10A Sphinx 1x22

SCRD-10B Green Dot

SCRD-10C Dovetail

SCRD-19 Fury 1x17x25

Model	Magnification	Objective Lens Dia.	F.O.V (@100yds)	Length (mm / inch)	Weight (net) (g / oz)	Elevation Range	Windage Range	Click Value	Dot Size	Illumination	Battery
SCRD-10A	N/A	25x18mm	6.2°	48 / 1.9	55 / 2.0	30 MOA	30 MOA	1 MOA	3 MOA	Auto Brightness	CR2032
5 levels G											
Auto Brightness											
SCRD-19	N/A	17x25mm	6.2°	49 / 1.9	83 / 2.9	30 MOA	30 MOA	1 MOA	3 MOA	5 levels R	CR2032



SCRD-18A IMP **R & G**

SCRD-18B IMP 11mm

SCRD-18C IMP Weaver

SCRD-23 Ratchet 1x23x34

Model	Magnification	Objective Lens Dia.	F.O.V (@100yds)	Length (mm / inch)	Weight (net) (g / oz)	Elevation Range	Windage Range	Click Value	Dot Size	Illumination	Battery
SCRD-18A	N/A	23x34mm	15.7m	80 / 3.1	110 / 3.9	40 MOA	40 MOA	1 MOA	4 patterns	5 levels R & G	CR2032
SCRD-18B	N/A	23x34mm	15.7m	80 / 3.1	110 / 3.9	40 MOA	40 MOA	1 MOA	4 patterns	7 levels R	CR2032
SCRD-18C											
SCRD-23	N/A	23x34mm	15.7m	82 / 3.2	140 / 4.9	60 MOA	60 MOA	1 MOA	4 patterns	5 levels R & G	LR754



SCRD-24 Tomcat 1x22x33

SCRD-24RL Tomcat w/ **R** Laser

SCRD-25 Predator 1x28x20

SCRD-29 Spirit 1x25

Model	Magnification	Objective Lens Dia.	F.O.V (@100yds)	Length (mm / inch)	Weight (net) (g / oz)	Elevation Range	Windage Range	Click Value	Dot Size	Illumination	Battery
SCRD-24	N/A	22x33mm	15.7m	82 / 3.2	160 / 5.6	40 MOA	40 MOA	1 MOA	4 patterns	5 levels R & G	CR2032
SCRD-24RL	N/A	22x33mm	15.7m	82 / 3.2	185 / 6.5	40 MOA	40 MOA	1 MOA	4 patterns	5 levels R & G	Sight:CR2032 Laser:AG10
SCRD-25	N/A	28x20mm	15.7m	60 / 2.4	100 / 3.5	40 MOA	40 MOA	2-2.5 MOA	5 MOA	5 levels R	CR2032
SCRD-29	N/A	19x25mm	6.5°	48 / 1.9	45 / 1.6	60 MOA	60 MOA	1 MOA	4 MOA	5 levels R	CR2032



SCRD-01 Sentry 1x35

SCRD-02 Harpoon 1x30

SCRD-03 Condor 2x42

SCRD-05 Stinger 1x28

Model	Magnification	Objective Lens Dia.	F.O.V (@100yds)	Length (mm / inch)	Weight (net) (g / oz)	Elevation Range	Windage Range	Click Value	Dot Size	Illumination	Battery
SCRD-01	N/A	35mm	65 feet	110 / 4.3	160 / 5.6	80 MOA	80 MOA	1 MOA	5 MOA	5 levels R & G	CR2032
SCRD-02	N/A	30mm	50 feet	128 / 5.0	225 / 7.9	60 MOA	60 MOA	1 MOA	3,4,5,6 MOA	5 levels R & G	CR2032
SCRD-03	2.0x	42mm	65 feet	163 / 6.4	430 / 15.2	70 MOA	70 MOA	1 MOA	5 MOA	5 levels R & G	CR2032
SCRD-05	N/A	28mm	57 feet	125 / 4.9	200 / 7.1	80 MOA	80 MOA	1 MOA	6 MOA	5 levels R & G	CR2032



SCRD-07 Tempest 1x35

SCRD-08 Chimaera 1x30

SCRD-11 11mm Cactus 1x35

SCRD-12 Maverick 1x22

Model	Magnification	Objective Lens Dia.	F.O.V (@100yds)	Length (mm / inch)	Weight (net) (g / oz)	Elevation Range	Windage Range	Click Value	Dot Size	Illumination	Battery
SCRD-07	N/A	35mm	59 feet	147 / 5.8	365 / 12.9	60 MOA	60 MOA	1 MOA	4 patterns	11 levels R	AA
SCRD-08	N/A	30mm	50 feet	130 / 5.1	160 / 5.6	60 MOA	60 MOA	1 MOA	4 patterns	5 levels R & G	CR2032
SCRD-11	N/A	35mm	65 feet	110 / 4.3	160 / 5.6	80 MOA	80 MOA	1 MOA	5 MOA	7 levels R	CR2032
SCRD-12	N/A	22mm	50 feet	68 / 2.7	185 / 6.5	80 MOA	80 MOA	1 MOA	6 MOA	11 levels R	CR2032



SCRD-15 Claw 1x20



SCRD-16 Panther 1x34



SCRD-20 Harrier 1x22



SCRD-21 Torrent 1x20

Model	Magnification	Objective Lens Dia.	F.O.V (@100yds)	Length (mm / inch)	Weight (net) (g / oz)	Elevation Range	Windage Range	Click Value	Dot Size	Illumination	Battery
SCRD-15	N/A	20mm	57 feet	85 / 3.3	160 / 5.6	96 MOA	96 MOA	1 MOA	5 MOA	7 levels R	CR2032
SCRD-16	N/A	34mm	55 feet	165 / 6.5	315 / 11.0	60 MOA	60 MOA	1 MOA	3 MOA	Stepless R & G	CR1620
SCRD-20	N/A	22mm	50 feet	76 / 3.0	140 / 4.9	90 MOA	90 MOA	1 MOA	3 MOA	Stepless R & G	CR1620
SCRD-21	N/A	20mm	50 feet	69 / 2.7	175 / 6.2	100 MOA	100 MOA	1 MOA	3 MOA	7 levels R & G	CR2032



SCRD-26 Nautilus 1x30



SCRD-27 Rayman 1x30 GL / RL



SCRD-30 Harpy 1x22



SCRD-31 SVD 1x28

Model	Magnification	Objective Lens Dia.	F.O.V (@100yds)	Length (mm / inch)	Weight (net) (g / oz)	Elevation Range	Windage Range	Click Value	Dot Size	Illumination	Battery
SCRD-26	N/A	30mm	59 feet	110 / 4.3	270 / 9.5	60 MOA	60 MOA	1 MOA	3 MOA	11 levels R	AAA
SCRD-27GL / RL	N/A	30mm	59 feet	108 / 4.1	340 / 12.0	60 MOA	60 MOA	1 MOA	3 MOA	11 levels R	Sight:CR2032 Laser:CR2
SCRD-30	N/A	22mm	50 feet	68 / 2.7	150 / 5.3	80 MOA	80 MOA	1 MOA	3 MOA	11 levels R	CR2032
SCRD-31	N/A	28mm	50 feet	152 / 6.0	415 / 14.6	50 MOA	50 MOA	5/4 MOA	4 MOA	R	CR2032

Red Dot Sight Magnifier



Model	Magnification	Objective Lens Dia.	F.O.V (@100yds)	Eye Relief (mm / inch)	Exit Pupil	Length (mm / inch)	Weight (net) (g / oz)
SCOT-07	3.0x	26mm	49 feet	60 / 2.4	7mm	108 / 4.2	325 / 11.7
SCOT-08	5.0x	26mm	20.3 feet	70 / 2.8	6.5mm	120 / 4.7	340 / 12
SCOT-29	4.0x	26mm	26 feet	75 / 3.0	7mm	115 / 4.5	335 / 11.8



Range Finder



Model	Magnification	Objective Lens Dia.	Measuring Range(m)	Weight (net) (g / oz)	Size (mm / inch)	Function Modes	Battery
SCRF-01A	6x	25mm	4-600	165 / 5.8	75x40x110 3.0x1.6x4.3	Rain High Reflect Object Long Range	CR2
SCRF-01B	6x	25mm	4-600	165 / 5.8	75x40x110 3.0x1.6x4.3	Beeline Angle Height(For golf purpose)	CR2
SCRF-02	8x	30mm	12-1200	275 / 9.7	82x45x123 3.2x1.8x4.8	Rain High Reflect Object Long Range	CR123

VECTOR DEFENSE



Proudly field live tested and approved by our customers all over the world. CNC precision-machined from aircraft aluminum bringing superior accuracy to your guns and firearms.

Vector Defense covers quality handguards, rail mounts, bipods, stock tube kits and more offering you a stable support for hunting, shooting and tactics.

Standard KeyMod Handguard AR15 Rail System

EX-EXTENDED LENGTH	16.5"	480g / 16.9oz
EXTENDED LENGTH	15"	430g / 15.2oz
RIFLE LENGTH	12"	385g / 13.6oz
MID LENGTH	10"	330g / 11.6oz
CARBINE LENGTH	7"	275g / 9.7oz
PISTOL LENGTH	4"	175g / 6.2oz

Free Float Style
Additional Rail Sections
Black Matte Finish
Precision CNC Machined
All KeyMod Cutout
Fit Most Model .223 AR/M



SCRAAM-40 16.5 Inch Style



SCRAAM-19 10 Inch Style



SCRAAM-21 15 Inch Style



SCRAAM-39 4 Inch Style



SCRAAM-18 7 Inch Style



SCRAAM-20 12 Inch Style

Slim KeyMod Handguard AR15 Rail System

Free Float Style

KeyMod Compatible

Black Matte Finish

Precision CNC Machined

All KeyMod Cutout

Fit Most Model .223 AR/M

332g / 11.7oz

17"

EX-EXTENDED LENGTH

310g / 10.9oz

15"

EXTENDED LENGTH

260g / 9.2oz

12"

RIFLE LENGTH

230g / 8.1oz

10"

MID LENGTH

185g / 6.5oz

7"

CARBINE LENGTH



SCRAAM-41 17 Inch Style



SCRAAM-30 10 Inch Style



SCRAAM-29 7 Inch Style



SCRAAM-32 15 Inch Style



SCRAAM-31 12 Inch Style

Carbon Fiber Handguard AR15 Rail System

EXTENDED LENGTH	15"	360g / 12.7oz
RIFLE LENGTH	12"	325g / 11.5oz
MID LENGTH	10"	290g / 10.3oz
CARBINE LENGTH	7"	250g / 8.8oz

Additional Rail Sections
Made of Carbon Fiber
Super Light Weight in Precision
Fit Most Model .223 AR/M



SCRAAM-26 10 Inch Style



SCRAAM-25 7 Inch Style



SCRAAM-28 15 Inch Style



SCRAAM-27 12 Inch Style

Slim MLOK Handguard AR15 Rail System



Free Float Style	320g / 11.3oz	17"	EX-EXTENDED LENGTH
Additional Rail Sections	292g / 10.3oz	15"	EXTENDED LENGTH
MLOK Compatible	250g / 8.8oz	12"	RIFLE LENGTH
BlackMatte Finish	223g / 7.9oz	10"	MID LENGTH
Fit Most Model .223 / AR/M	183g / 6.4oz	7"	CARBINE LENGTH



SCRAAM-47 17 Inch Stand Style



SCRAAM-37 12 Inch Style



SCRAAM-42 17 Inch Style



SCRAAM-35 7 Inch Style



SCRAAM-38 15 Inch Style



SCRAAM-36 10 Inch Style



Slim KeyMod Handguard Bronze AR15 Rail System

EXTENDED LENGTH	15"	480g / 16.9oz
RIFLE LENGTH	12"	410g / 14.5oz
MID LENGTH	10"	380g / 13.4oz
CARBINE LENGTH	7"	310g / 10.9oz

Free Float Style

Additional Rail Sections

Burnt Bronze Matte Finish

Precision CNC Machined

All KeyMod Cutout

Fit Most Model .223 AR/M



SCRAAM-30G 10 Inch Style



SCRAAM-32G 15 Inch Style



SCRAAM-29G 7 Inch Style



SCRAAM-31G 12 Inch Style

AR10 Rail System

EX-EXTENDED LENGTH	17"
EXTENDED LENGTH	15"
RIFLE LENGTH	12"

Free Float Style
Additional Rail Sections
Black Matte Finish
Precision CNC Machined
Fit Most Model .308 AR/M



SCRAAM-10
12 Inch Standard Style



SCRAAM-11
15 Inch Standard Style



SCRAAM-48
12 Inch Slim Style



SCRAAM-49
15 Inch Slim Style



SCRAAM-50
17 Inch Slim Style

T-series Handguard AR15 Rail System



EXTENDED LENGTH	15"	630g / 22.2oz
RIFLE LENGTH	12"	545g / 19.2oz
MID LENGTH	10"	450g / 15.9oz
CARBINE LENGTH	7"	340g / 12oz
PISTOL LENGTH	4"	235g / 8.2oz

Free Float Style
Four Picatinny Rails Around
Black Matte Finish
Precision CNC Machined
Fit Most Model .223 AR/M



SCRAAM-12 4 Inch Style



SCRAAM-14 7 Inch Style



SCRAAM-15 10 Inch Style



SCRAAM-17 15 Inch Style



SCRAAM-16 12 Inch Style

Drop-in Handguard & Free Float Quad Rail AR15 Rail System




SCRAAM-03 2-Piece Drop-in Handguard S



SCRAAM-06 Free Float Handguard S



SCRAAM-04 2-Piece Drop-in Handguard M



SCRAAM-07 Free Float Handguard



SCRAAM-08 Free Float Handguard M



SCRAAM-05 2-Piece Drop-in Handguard L



SCRAAM-09 Free Float Handguard L

AK Rail System



SCRA-15A
AK 47/74 Handguard
(Quad Rail)



SCRA-15B
Ak pistol Handguard
(Quad Rail)



SCRA-17
Tri-Rail Barrel Mount



SCRA-20
Receiver Tri-Rails
Top Mount Cover



SCRA-21A
Side Picatinny Rail



SCRA-21B
Side Picatinny Rail QD



SCRA-26
Saiga-12 Quad Rail



SCRA-27
Saiga 7.62x39
Quad Rail



SCRA-33
Side Dovetail Plate

H&K Rail System



SCRHK-01/02
G36 Side Picatinny
Rail(S)



SCRHK-03
MP5 Double Rails Claw



SCRHK-04
G36 Quad Rail



SCRHK-05
G36K Quad Rail



SCRHK-06
G36C Quad Rail



SCRHK-07
MP5 Tri-Rails
Handguard



SCRHK-07G
MP5 Tri-Rails
Handguard BR



SCRHK-08
G3 HK91 Tri-Rails
Handguard



SCRHK-09
MP5/G3 Picatinny
Low Rail Mount Base


Shotgun Rail System




SCRA-18
Universal Barrel Mount



SCRA-38
RM870 Optics Mount



SCRA-50
RM870 Shotgun Handguard



SCRA-52
RM870 Handguard Rail

Bipod System



SCBPB-01
6-9" Sling Stud



SCBPB-02
9-13.5" Sling Stud



SCBPW-01
6.5-7.0" Universal



SCBPW-02
8.8-10.6" Universal



SCBPW-03
6-7.5" Style



SCBPS-04
6-9" Swivel Pivot



SCBPS-05
9-13.5" Swivel Pivot




SCBPS-06
15-26" Swivel Pivot

Stock Assemble




SCOT-20-02

6 Position Buffer Tube Kit Com-spec




SCOT-20-12

6 Position Buffer Tube Kit Mil-spec



SCSKK-AR03

AR Pistol Buffer Tube Kit



SCSKK-AR04

AR 308 Buffer Tube Kit

Tube Kit & Accessory



SCSB-01
Standard 3.0oz Buffer




SCSB-02/03/04
H1 3.8oz / H2 4.5oz /
H3 5.4oz



SCSB-05
3.8oz 308 Buffer



SCSB-06
5.0oz Rifle Buffer



SCSB-07
4.05oz Gen2 H2



SCOT-20-1
Rubber Butt Pad



SCOT-20-03
Folding Adapter



SCSK-MN
Mosin-Nagant



SCOT-20-08 / 14
Mil-spec / Commercial Tube



SCOT-20-11/13
Spring



SCOT-20-04
Single Loop End
Plate



SCOT-20-05
Double Loops End
Plate



SCOT-20-06
Universal Dual Loop
End Plate



SCOT-20-07
Receiver End Plate



SCOT-20-09
Castle Nut

Air-gun & Pistol Mount



Model	SCRDM-01	SCRDM-02	SCRDM-03	SCRDM-04	SCRDM-05	SCRDM-06	SCRDM-07
Fit On	GLOCK	M1911	SIG P226	BERETTA 92	Springfield XD	S&W M&P	HK USP

Pistol Sight Mount Plate



SCOT-03
Dovetail to Weaver Adapter



SCOT-04
Weaver to Dovetail Adapter



SCRA-06A
Dovetail to Weaver Mount Rail




SCRA-06B
Compact Dovetail to
Weaver Rail



SCRA-08
Dovetail Riser Mount



SCRA-31
Dovetail to Picatinny
Extended Rail



SCRA-32
Sigma Pistol Rail
Mount Adapter

KeyMod Handguard Accessories




SCKMA-01
Sling Loop Mount



SCKMA-02
Rail Cover



SCKMA-03
Offset Picatinny Mount Rail



SCKMA-04
Low Profile Grip



SCKMA-05
Flashlight Laser 1" Mount



SCRAAM-22/23/24
2"/3"/5"
Picatinny Rail Section

Gas Block



SCGB-01
Low Profile 0.75"



SCGB-02
Low Profile 0.75" Quad Rail



SCGB-03A
Slant Regular Profile 0.75"



SCGB-03B
Slant Low Profile 0.75"



SCGB-04
Low Profile 0.75"



SCGB-05A
Aluminum Micro 0.75"



SCGB-05B
Steel Micro 0.75"



SCGB-06
Steel Micro 0.875"

Other Picatinny Rail



SCRA-07A
8" Steel Flat
Picatinny Rail Even



SCRA-07B
8" Steel Flat
Picatinny Rail Curved



SCQD-01
Bipod Adapter/
Picatinny Riser



SCQD-02
Compact Riser



SCQD-05
Compact Angle
Double Rail



SCQD-06
Angle Double Rail



SCRA-01
Z Type Carry Handle
Rail Mount



SCRA-02
Sigma Pistol Rail
Mount Adapter



SCRA-03
Picatinny Riser Rail L



SCRA-12
Tri-rail Picatinny
Riser Mount



SCRA-34
45° Offset
Picatinny Rail



SCRA-51
Dual 45° Offset
Picatinny Rail



SCRA-58
0.5" Picatinny
Riser Mount




SCRA-59
0.83" Picatinny
Riser Mount




SCRA-60
1" Picatinny
Riser Mount

Other Universal



SCOT-49A/B
0.750 / 0.936"
Barrel End Cap



SCOT-56
0.936" AR10
Barrel End Cap



SCRA-22
Front Sight Clip



SCRA-25A
0.7-0.93" Double
Rails Barrel Clip



SCRA-25B
1-1.1" Double
Rails Barrel Clamp



SCRAAM-34
Tri-Rail Barrel



SCRA-36
FN / FAL Receiver
Cover Mount



SCRA-39
FN / FAL Handguard



SCRA-47
Galil Golani Handguard



SCRAAM-13
Tri-Rail Carry
Handle Rail



SCRAAM-33
Handguard
Bottom Rail

VECTOR SUPPLIER

Vector Suppliers is the right place for you to find great innovative and solution-oriented outdoor accessories, such as mount rings, lasers, flashlights, gunsmith tools and cleaning kits etc.

As a major part of Vector product lines, you can count on it for your outdoor & hunting journey. For every product to outfit your passion and to make sure your satisfaction in all facts.

Red & Green Laser



SCRL-01
Guardian **Laser**



SCRL-03 Jetfire **Laser**



SCRL-04 Sparker Mini **Laser**



SCRL-06
Inferno Super
Thin **Laser**

Model	Laser Power	Wavelength	Weight (net) (g / oz)	Run time	Working Temp	Battery
SCRL-01	<5mW	650nm	100 / 3.5	>3 hours	-10° to 45°	CR123
SCRL-03	<5mW	650nm	95 / 3.4	1.5-2 hours	-5° to 40°	CR123
SCRL-04	<5mW	650nm	30 / 1.1	2-3 hours	-10° to 45°	LR41
SCRL-06	<5mW	650nm	30 / 1.1	2-3 hours	-10° to 45°	AG3



SCGL-01
Starscream **Laser**



SCGL-02
Fastlane **Laser**



SCGL-04 Viperwolf
IR **Laser**



SCGL-05 Blitz
Mini **Laser**



SCGL-06
Twilight Pistol
Compact **Laser**



SCGL-07
Magnus **Laser**

Model	Laser Power	Wavelength	Weight (net) (g / oz)	Run time	Working Temp	Battery
SCGL-01	<5mW	532nm	135 / 4.8	>3 hours	-10° to 45°	CR123
SCGL-02	<5mW	532nm	110 / 3.9	2-3 hours	-10° to 45°	CR123
SCGL-04	4.5mW	Laser:532nm IR laser:850nm	185 / 7.4	>2 hours	-10° to 40°	CR2
SCGL-05	3-5mW	532nm	32 / 1.2	>3 hours	-5° to 40°	1/3N Lithium
SCGL-06	<5mW	532nm	65 / 2.3	2-3 hours	-10° to 45°	CR2
SCGL-07	<5mW	532nm	233 / 8.2	> 8 hours	-5° to 40°	CR123 16340

Tactical Flashlight



SCFL-02 Nightbeat Q2 LED

SCFL-03 Rambler 1W LED

SCFL-04 Longbowman R2 LED

Model	Output / Brightness	Bulb	Function Model	Weight (net) (g / oz)	Run time	Battery
SCFL-02	145-185 lumens	Cree Q2	1 level	120 / 4.2	3 hours	18650 3.7V
SCFL-03	80 lumens	LED	1 level	100 / 3.5	>6 hours	AA
SCFL-04	380-440 lumens	Cree R2	1 level	260 / 9.2	4 hours	18650



SCFL-06 Meteor Pistol LED

SCFL-07 Bolide Q5 LED

SCFL-08 Cyclops Grip

Model	Output / Brightness	Bulb	Function Model	Weight (net) (g / oz)	Run time	Battery
SCFL-06	180-200 lumens	Cree Q5	1 level	53 / 2.1	3 hours	CR123
SCFL-07	280-320 lumens	Cree Q5	1 level	230 / 8.1	3 hours	18650
SCFL-08	180-200 lumens	Cree Q5	1 level	320 / 11.3	3 hours	CR123

Laser & Light Combo



SCRL-05 Doublecross **Laser**

SCGL-03 Blackout Pistol **Laser**

Model	Output / Brightness	Laser Power	Wavelength	Flashlight Bulb	Weight (net) (g / oz)	Function Mode	Run time	Battery
SCRL-05	180-200 lumens	3-5mW	650nm	Cree Q5	85 / 3.0	Light: strong weak & strobe Laser: normal & strobe	Laser > 7 hours Light > 3 hours Combo > 1.5 hours	CR123
SCGL-03	200-225 lumens	<5mW	532nm	N/A	120 / 4.2	Laser only Light only Laser w/ light	Laser > 8 hours Light > 2 hours Combo > 1.7 hours	CR123



SCGL-08 Doublecross **Laser**

SCFX-06 Cobra **Laser**

SCFL-09 Cyclops Grip w/ **Laser**

Model	Output / Brightness	Laser Power	Wavelength	Flashlight Bulb	Weight (net) (g / oz)	Function Mode	Run time	Battery
SCGL-08	180-200 lumens	3-5mW	532nm	Cree Q5	90 / 3.2	Light: strong weak & strobe Laser: normal & strobe	Laser > 7 hours Light > 3 hours Combo > 1.5 hours	CR123
SCFX-06	450-500 lumens	<5mW	650nm	Cree Q5	565 / 20.0	4 levels for 4 modes	>3 hours	16340 3.0V
SCFL-09	180-200 lumens	<5mW	650nm	Cree Q5	340 / 12	1 level	2.5-3 hours	16340 3.0V

Boresighter



SCBCR-02
12GA Style



SCBCR-03
.223REM Style



SCBCR-04
.308Win Style



SCBCR-05
7.62x39mm Style



SCBCR-06
8mm Style



SCBCR-07
30-06 Style



SCBCR-08
.300Win Style



SCBCR-09
7.62x54R Style



SCBCR-10
20GA Style



SCBCR-11
9mm Style



SCBCR-12
9.3x62mm Style



SCBCR-13
6.5x55mm Style



SCBCG-01
Muzzle Green Laser



SCBCG-01/SCBCR-02
Universal R / G Laser

ACD Leveling Mount Scope Accessory



SCACD-01
30mm Universal



SCACD-02
35mm Universal



SCACD-03
30mm Offset Bubble



SCACD-04
25.4mm Offset Bubble



SCACD-05
30mm Offset Bubble
w/ Compass



SCACD-06
25.4mm Offset Bubble
w/ Compass



SCACD-07
30mm
w/ Picatinny Rail



SCACD-08
30mm One Piece
Extra Light



SCACD-09
30mm One Piece
Extra Long



SCACD-10
Universal Flat



SCACD-11
30mm Angle Indicating



SCACD-12
40mm Offset Bubble



SCACD-14
30mm One Piece
Angle Indicating



SCACD-15
34mm Offset Bubble

30mm Dia. Scope Mount & Ring



SCTM-01
High Picatinny



SCTM-16
Low Picatinny



SCTM-18
Extreme
High Picatinny



SCTM-19
Extreme
Low Picatinny



SCTM-03
Cantilever Picatinny



SCTM-04
Flat Low Picatinny



SCTM-08
High Picatinny



SCTM-22
Middle Picatinny



SCTM-27
Low Picatinny



SCTM-14
Fit Carry Handle



SCTM-15
Cantilever Picatinny



SCTM-17
Flip to Side

30mm Dia. Scope Mount & Ring



SCTM-20B
Tri-Rail Picatinny



SCTM-21
Scope Ring



SCTM-25
Cantilever
Picatinny



SCTM-26
Picatinny
Low & High



SCOT-54A
Half Weaver



SCOT-54B
Low Weaver



SCOT-54C
Middle Weaver



SCOT-54D
High Weaver



SCOT-55A
Low Dovetail



SCOT-55B
Middle Dovetail



SCOT-55C
High Dovetail

One Inch Dia. Scope Mount & Ring



SCTM-02
High Picatinny



SCTM-05
Barrel Picatinny



SCTM-11
Round Barrel Picatinny



SCOT-52A
Half Weaver



SCOT-52B
Low Weaver



SCOT-52C
Middle Weaver



SCOT-52D
High Weaver



SCOT-53A
Low Dovetail



SCOT-53B
Middle Dovetail



SCOT-53C
High Dovetail

30mm One-Piece Scope Mount & Ring



SCTM-07A
Tri-Rails Picatinny



SCTM-07B
Tri-Rails Long Picatinny



SCTM-15
Cantilever Picatinny



SCTM-24A
Extended Picatinny



SCTM-24B
Extended Picatinny XL



SCOP-03
Dovetail PH



SCOP-04
High Dovetail



SCOP-05
Low Weaver



SCOP-06
High Weaver



SCOP-10
120mm Dovetail



SCOP-12
Extended Dovetail



SCOP-13
Short Weaver



SCOP-14
Extended Weaver



SCOP-16
Dovetail MOA

One Inch One-piece Scope Mount & Ring



SCOP-01 Low Dovetail



SCOP-02 High Dovetail



SCOP-09 High Weaver



SCOP-11 Extended Dovetail



SCOP-15 Extended Weaver

35mm Dia. Scope Mount & Ring



SCTM-06B/A
34 / 35 Middle Picatinny



SCTM-09
Tri-Rail Picatinny



SCTM-12
20MOA Picatinny



SCTM-20A
Tri-Rail Picatinny



SCTM-23 B/A
34 / 35mm Low Picatinny



SCTM-28
Scope Ring



SCTM-30
Low Picatinny



SCTM-31
Middle Picatinny



SCTM-32
High Picatinny



SCQD-10
20MOA Picatinny QD

Quick Release Scope Mount & Ring



SCQD-03 30mm High Picatinny



SCQD-04 30mm Middle Picatinny



SCQD-07 1" Middle Picatinny



SCQD-08 1" High Picatinny



SCQD-09 30mm High Picatinny

Cleaning Kit



SCCK-01
Universal Gun
Cleaning Kit



SCCK-02
.223 / 5.56 Style



SCCK-03
.308 Style



SCCK-04
9mm Style



SCCK-05
12GA Style



SCCK-06
.45 Style




SCCK-07
.270 / 7mm Style



SCBM-02
Glock Rubber Bench Mat



SCBM-03
M1911 Rubber Bench Mat



SCBM-01
AR15 Rubber Bench Mat



SCBM-04
AK47 Rubber Bench Mat

Scope & Lens Cover Big Side Wheel



SCOT-06 Scope Ocular Rubber Cover



SCOT-44 Scope Coat (S/M/L)



SCOT-13 Honeycomb Filter Sunshade



SCOT-47P Paragon Scope
Big Side Wheel



SCOT-47M Marksman Scope
Big Side Wheel

Gun Smith Tool



SCTK-01 Delta Ring Removal Wrench



SCOT-46 Punch Tool Kit

Other Accessory



SCOT-05
Scope Dovetail
Recoil Stopper



SCOT-11
Pistol Rubber
Grip Cover



SCOT-12
Shooting Stick



SCOT-15
30 / 25.4mm
Plastic Round Adapter



SCOT-21
Pistol Grip
Cover Gen2



SCOT-23
Rail Rubber Cover



SCOT-24
Sling Mount



SCOT-25
Offset Sling Mount



SCOT-35
Gun Lock



SCOT-36
QD Sling
Weaver Mount



SCCC-02
Deluxe Scope Lens
Cleaning Cloth



SCFA-07
18650
Rechargeable Battery



SCFA-08
16340 / 123A
Battery




SCFA-09
AC / DC
Battery Charger




SCBB-01
Triple Play Bench-Bag Set

HOW OUR NEW PRODUCT LAUNCH



FIELD TESTING IN USA



Will Come Soon



SCSS-01 Liberty 20-60x60



SCSS-02 Liberty 15-45x60

Model	SCSS-01	SCSS-02
Magnification	20-60x	15-45x
Objective Lens Dia.	60mm	60mm
Prism Type	Porro / BAK-4	Porro / BAK-4
Focus Type	Prismatic	Prismatic
Exit Pupil	3.0-1.0mm	3.8-1.3mm
F.O.V (@1000yds)	100-50 feet	111-42 feet
Resolution Center (Axis)	3.99 SOA (60X Center)	5.33 SOA (45X Center)
Eye Relief (mm / inch)	16.5-13 / 0.65-0.51	17.5-13.5 / 0.69-0.53
Length (mm / inch)	350 / 13.8	355 / 14.0
Weight (net) (g / oz)	730 / 25.8	795 / 28.0



SCOC-22 Wrangler 1x24



SCOL-19 Reiter 3-24x56



SCRD-28 Zelda 1x22

Model	Magnification	Objective Lens Dia.	Exit Pupil	F.O.V (@100yds)	Eye Relief (mm / inch)	Length (mm / inch)	Weight (net) (g / oz)	Tube Dia.	Elevation Range	Windage Range	Click Value	Reticle	Illumination
SCOC-22	1x	24mm	17.8mm	95 feet	101 / 4.0	230 / 9.0	355 / 12.5	30mm	40 MOA	40 MOA	1/2 MOA	Duplex-F	11 levels R
SCOL-19	3-24x	56mm	8.0-2.3mm	36.6-4.55 feet	90 / 3.5	350 / 13.8	935 / 33.0	35mm	24 MIL	15 MIL	1/10 MIL	VPA-3	8 levels R & 3 levels NV

Vector Overall Sales Market Share





www.vectoroptics.com

 +86 (0)21 6056 0190

 +86 (0)21 6056 0189

